













Please *type in* your information, *select the quantities* of literature, and *click the button* at the end of this form.  
This will automatically attach this completed form to an email *for easy submission*.






Today's Date		Company Name	
Contact Person			
Shipping Address			
City			
State		Zip	
Email:		Phone:	
Is the Shipping Address <b>Business</b> or <b>Residential</b> ?			






We ask that you please request only necessary paper materials to conserve the resources we all share.  
Digital versions of all paper materials can be downloaded from the links.






<b>Quick Order for Weekly Shipping</b>	
	<p><b>PATLITE USB Drive</b></p> <p>All of the latest product information in PDF format.</p> <p>Quantity: _____ <b>USB</b> (max 10 per request)</p>
<b>Special Order for Monthly shipping</b>	
	<p><b>PATLITE Binder</b></p> <p>Binder Shell</p> <p>Quantity: _____ <b>Binder</b> (max 5 per request)</p>



	<p><b>PATLITE Digest Catalog</b>  <a href="#">[Link to PDF]</a></p> <p>8-page overview of new and featured products.</p> <p>Quantity: _____ <b>Digest</b></p>
	<p><b>IP69K Digest Catalog</b>  <a href="#">[Link to PDF]</a></p> <p>8-page overview of IP69K rated products.</p> <p>Quantity: _____ <b>IP69KDigest</b></p>
	<p><b>Smart Alert Catalog</b>  <a href="#">[Link to PDF]</a></p> <p>A comprehensive guide to PATLITE's audible alarm and MP3 voice technologies.</p> <p>Quantity: _____ <b>SmartAlert</b></p>
	<p><b>PATLED LED Lighting Product Catalog</b>  <a href="#">[Link to PDF]</a></p> <p>A detailed look at PATLITE's LED illumination light bars and spotlight.</p> <p>Quantity: _____ <b>LED</b></p>
	<p><b>SL / SK / SF Beacons Product Catalog</b>  <a href="#">[Link to PDF]</a></p> <p>The Beacons Series featuring new flash patterns, brighter lights, buzzer options and more!</p> <p>Quantity: _____ <b>Beacons</b></p>

	<p><b>IO-Link Product Catalog</b> <a href="#">[Link to PDF]</a></p> <p>A comprehensive guide to PATLITE's IO-Link product portfolio.</p> <p>Quantity: _____ <b>IOLink</b></p>
	<p><b>LB6</b> <a href="#">[Link to PDF]</a></p> <p>PATLITE's multi-color, multi-segment IO-Link signal tower.</p> <p>Quantity: _____ <b>LB6</b></p>
	<p><b>WE-LAN</b> <a href="#">[Link to PDF]</a></p> <p>Flush-mount signal towers with multi-color tiers and LAN connection.</p> <p>Quantity: _____ <b>WELAN</b></p>
	<p><b>LA6 Multi-Color LED Signal Tower Series Brochure</b> <a href="#">[Link to PDF]</a></p> <p>Field programmable, multi-color RGB LED signal towers also featuring a PoE (Power over Ethernet) type; customizable for any application.</p> <p>Quantity: _____ <b>LA6</b></p>
	<p><b>NHV Series</b> <a href="#">[Link to PDF]</a></p> <p>Real-time monitoring with audible and visual signaling, with features such as text to speech, email detection, and compatible with Microsoft Azure and AWS.</p> <p>Quantity: _____ <b>NHV</b></p>

 <p>The brochure features a white cylindrical signal tower with a blue top section. Text on the cover includes 'PATLITE', 'Easy Remote Notification With Wireless Control', and 'WIO'. There are also CE, RoHS, and US logos at the bottom.</p>	<p><b>WIO – Wireless Control System Brochure</b> <a href="#">[Link to PDF]</a></p> <p>Wireless signaling, notification, and monitoring system with easy, plug-and-play setup.</p> <p>Quantity: _____ <b>WIO</b></p>
 <p>The brochure shows several slim, multi-colored signal towers. Text includes 'PATLITE', 'Slim Signal Tower', 'Highly visible and easy to install', and 'MP / ME SERIES LED SIGNAL TOWER'. It also lists features like 'Compact size', 'Easy installation', and 'High visibility'. CE, RoHS, and US logos are at the bottom.</p>	<p><b>Slim Signal Tower Series Brochure</b> <a href="#">[Link to PDF]</a></p> <p>Features an ultra-compact size for easy installation on small machinery or in areas where space is limited.</p> <p>Quantity: _____ <b>Slim</b></p>
 <p>The flyer shows two cylindrical signal towers, one with a multi-colored top and one plain white. Text includes 'PATLITE', 'IO-Link', 'LR6-IL SIGNAL TOWER', and 'Easy integration with IO-Link Master'. CE, RoHS, and FC logos are at the bottom.</p>	<p><b>LR6-IL IO-Link-Connected Signal Towers Flyer</b> <a href="#">[Link to PDF]</a></p> <p>LR Series featuring IO-Link compatibility.</p> <p>Quantity: _____ <b>LR6IL</b></p>
 <p>The flyer shows three cylindrical signal towers with different colored tops. Text includes 'PATLITE', 'LR6-USB SIGNAL TOWER', and 'Directly powered and controlled via USB interface'. It lists features like 'IP67 certified', 'Powered over USB for single cord installation', 'Open architecture for custom programming', and 'Compatible with Windows and Linux'. CE, RoHS, and FC logos are at the bottom.</p>	<p><b>LR6-USB USB-Connected Signal Towers Flyer</b> <a href="#">[Link to PDF]</a></p> <p>LED signal towers designed to connect to a PC or HMI and receive both power and commands over a single USB connection.</p> <p>Quantity: _____ <b>LR6USB</b></p>
 <p>The flyer shows two cylindrical signal towers, one with a multi-colored top and one plain white, set against a background of water splashing. Text includes 'PATLITE', 'IP69K Rated Signal Tower and Signal Beacon', and 'Safe for high-temperature, high-pressure and steam-jet washdown'. CE, RoHS, and US logos are at the bottom.</p>	<p><b>IP69K Flyer</b> <a href="#">[Link to PDF]</a></p> <p>LED signal lights designed for high-temperature, high-pressure and steam-jet washdown.</p> <p>Quantity: _____ <b>IP69K</b></p>

	<p><b>LR10 – Out-door Rated Signal Tower Flyer</b> <a href="#">[Link to PDF]</a></p> <p>Large, customizable 100mm diameter IP69K and Outdoor-rated signal tower.</p> <p>Quantity: _____ <b>LR10</b></p>
	<p><b>VSST – Customizable Manual-controlled LED Signal Towers Brochure</b> <a href="#">[Link to PDF]</a></p> <p>Manually-controlled LR series signal towers with selector switches, customizable from 1 to 5 tier and with or without flashing and buzzer.</p> <p>Quantity: _____ <b>VSST</b></p>
	<p><b>HSST – Manual-controlled LED Signal Towers Kit Flyer</b> <a href="#">[Link to PDF]</a></p> <p>Manually-controlled LR series signal tower kit complete with an AC adaptor.</p> <p>Quantity: _____ <b>HSST</b></p>
	<p><b>WD – Wireless Data Acquisition System Brochure</b> <a href="#">[Link to PDF]</a></p> <p>A cost-effective solution compatible with the LR series signal towers, for collecting machine data for enhancing operational visibility.</p> <p>Quantity: _____ <b>WD</b></p>
	<p><b>WD Pro Series Brochure</b> <a href="#">[Link to PDF]</a></p> <p>Enhanced features of the WD series that allow the acquisition of additional levels of information to gather and visualize more data points.</p> <p>Quantity: _____ <b>WDPRO</b></p>

 <p>The highest tower washdown problems are solved.</p> <p><b>LS7-9</b> LED SIGNAL TOWER</p>	<p><b>LS-7-9 Washdown LED Signal Tower Brochure</b> <a href="#">[Link to PDF]</a></p> <p>Smooth-body LED signal towers with hygienic considerations, designed to withstand high-pressure and high-temperature wash downs from all angles; suited for use in food, beverage and pharmaceutical industries.</p> <p>Quantity: _____ <b>LS79</b></p>																								
 <p>USB-connected Multi-color Signal Beacons LED Signal Beacons</p> <p>Great Awareness, Easy Control</p> <p>Save Cable Wiring One USB cable for control and power</p> <p>Smart Design Many ways that harmonize with every environment</p> <p>CE RoHS FC</p>	<p><b>NE-USB Compact Signal Beacon Series Flyer</b> <a href="#">[Link to PDF]</a></p> <p>USB connected Multi-color compact LED signal lights with touch sensors and buzzer options.</p> <p>Quantity: _____ <b>NEUSB</b></p>																								
 <p>Dynamic Indication, Greater Control</p> <p>Compact and Efficient Just one or two LEDs make more noticeable</p> <p>High visibility in all conditions Highly visible in all conditions Highly visible in all conditions Highly visible in all conditions Highly visible in all conditions</p> <p>CE RoHS FC</p>	<p><b>NE-ATB Compact Signal Beacon Series Flyer</b> <a href="#">[Link to PDF]</a></p> <p>Multi-color and mono-color compact LED signal lights with touch sensors and buzzer options.</p> <p>Quantity: _____ <b>NEA</b></p>																								
 <p>Vibrancy, Reliability, and Durability in a Compact Design</p> <p>Performance Durability</p> <p>CE SAE</p>	<p><b>LPT - Ultra Bright Warning Light Flyer</b> <a href="#">[Link to PDF]</a></p> <p>PATLITE's durable, outdoor rated flashing warning lights with IP68 rating, and high vibration resistance.</p> <p>Quantity: _____ <b>LPT</b></p>																								
 <p><b>LFH</b> Ø 100 LED Signal Light</p> <p>New LED double flashing beacon! Available in five LED colors!</p> <p>Specifications</p> <table border="1"> <tr> <td>Model</td> <td>LFH-100</td> </tr> <tr> <td>Color</td> <td>Red, Amber, Green, Blue, White</td> </tr> <tr> <td>Power</td> <td>10W</td> </tr> <tr> <td>Voltage</td> <td>12VDC</td> </tr> <tr> <td>Current</td> <td>0.83A</td> </tr> <tr> <td>Operating Temp.</td> <td>-40°C to 85°C</td> </tr> <tr> <td>Storage Temp.</td> <td>-40°C to 125°C</td> </tr> <tr> <td>Humidity</td> <td>95% RH</td> </tr> <tr> <td>IP Rating</td> <td>IP68</td> </tr> <tr> <td>Material</td> <td>Aluminum</td> </tr> <tr> <td>Weight</td> <td>0.5kg</td> </tr> <tr> <td>Dimensions</td> <td>Ø100mm x 100mm</td> </tr> </table> <p>LFK</p>	Model	LFH-100	Color	Red, Amber, Green, Blue, White	Power	10W	Voltage	12VDC	Current	0.83A	Operating Temp.	-40°C to 85°C	Storage Temp.	-40°C to 125°C	Humidity	95% RH	IP Rating	IP68	Material	Aluminum	Weight	0.5kg	Dimensions	Ø100mm x 100mm	<p><b>LFH/LFK LED Signal Light Flyer</b> <a href="#">[Link to PDF]</a></p> <p>Indoor/outdoor LED signal light with superior visibility and vibration resistance.</p> <p>Quantity: _____ <b>LFH</b></p>
Model	LFH-100																								
Color	Red, Amber, Green, Blue, White																								
Power	10W																								
Voltage	12VDC																								
Current	0.83A																								
Operating Temp.	-40°C to 85°C																								
Storage Temp.	-40°C to 125°C																								
Humidity	95% RH																								
IP Rating	IP68																								
Material	Aluminum																								
Weight	0.5kg																								
Dimensions	Ø100mm x 100mm																								

	<p><b>PFH Flyer Battery-powered Signal Lights Flyer</b> <a href="#">[Link to PDF]</a></p> <p>Battery-operated Signal Lights with magnetic bases.</p> <p>Quantity: _____ PFH</p>
	<p><b>PATLED's LED Illumination Flyer</b> <a href="#">[Link to PDF]</a></p> <p>A quick comparison of PATLITE's LED illumination product portfolio.</p> <p>Quantity: _____ PATLEDs</p>

Save and click button below to automatically attach this filled form to an email,  
or email directly to [literature@patlite.com](mailto:literature@patlite.com)

**\*\*FOR OFFICE USE ONLY\*\***

Request Date: Today's Date \_\_\_\_\_

Requested By: Contact Person \_\_\_\_\_

SHIP VIA: **UPS GROUND** \_\_\_\_\_

SHIP TO: Contact Person \_\_\_\_\_ Email \_\_\_\_\_  
Company \_\_\_\_\_  
Street Address \_\_\_\_\_  
City \_\_\_\_\_  
State \_\_\_\_\_  
Zip \_\_\_\_\_

Quantity:

- |                   |               |
|-------------------|---------------|
| _____ USB         | _____ LR6USB  |
| _____ Binder      | _____ IP69K   |
| _____ Digest      | _____ LR10    |
| _____ IP69KDigest | _____ VSST    |
| _____ SmartAlert  | _____ HSST    |
| _____ LED         | _____ WD      |
| _____ Beacons     | _____ WDPRO   |
| _____ IOLink      | _____ LS79    |
| _____ LB6         | _____ NEUSB   |
| _____ WELAN       | _____ NEA     |
| _____ LA6         | _____ LPT     |
| _____ NHV         | _____ LFH     |
| _____ WIO         | _____ PFH     |
| _____ Slim        | _____ PATLEDs |
| _____ LR6IL       |               |

APPROVED BY: \_\_\_\_\_